## COMPUTER WORKSTATION ERGONOMIC EVALUATION

Employee Name	Department		Job Title
Phone Extension / Mail Code	Location of Evaluation		Evaluated by (if not self-seeders)
1 HORE EXTENSION / IVIAN CODE	Location	ภ ยงสเนสนิบที	Evaluated by (if not self-evaluation)
			Evaluation Date
Chair	Acceptable	Needs Improvement	<b>Evaluation Comments/ Recommendations:</b>
Seat height			
Seat back			
Seat depth			
Seat pan tilt			
Armrest position			
Keyboard and Mouse	Acceptable	Needs	
Keyboard height		Improvement	
Keyboard-to-user distance	H	H	
Keyboard slope			
Mouse height			
Mouse-to-user distance	Acceptable	Needs	
Monitor	Acceptable	Improvement	
Monitor height			
Monitor-to-user distance			
Monitor alignment w/ user	ıΡ	, P	
Visual comfort of screen	Acceptable	Needs	
Environment	Acceptable	Improvement	
Leg clearance at workstation			
Placement of frequently			
used items	_		
General/ task lighting	A 4 - 1-1 -	Needs	
Work Practices	Acceptable	Improvement	
Frequency of microbreaks			
Keyboarding posture			
Sitting posture			
Phoning posture Alternate tasks	H	님	
Required Items:			Proper Workstation Setup:
Adjustable ergonomic chair			Froper Workstation Setup:
Adjustable keyboard/mouse			15°
Lumbar support cushion			16-28"
☐Monitor riser			
Foot rest			90°-100°
☐Mouse bridge			
☐Wristrest pad			
Anti-glare screen, or screen			at least 2"1 90"-105"
Reference document holder	•		
Slantboard for reading			
Telephone headset	(TTTG 6400)		
Office ergonomics training	(EHS 3400)		
Other			
Employee Signature_			Evaluator Signature_
I - 1 1- 2- 8 41-41-7		_	(if not self-evaluation)

## ERGONOMIC EVALUATION GUIDELINES

1. Chair	ERGONOMIC EVALUATION GUIDELINES		
Seat height	Adjust seat height so feet are flat on the floor or footrest, knees are bent at right angles and		
	thighs are horizontal to floor.		
Seat back	Adjust seat back so it supports the lumbar curve of the spine.		
Seat pan depth	Adjust seat pan depth so seat cushion is about 1 - 4" from the backs of knees.		
Seat pan tilt	Adjust seat pan tilt so hips and tops of thighs are at right angles or greater.		
Armrest position	Adjust armrests so that they are out of the way while typing, but may provide support during		
	other activities (i.e. phone use, meetings, etc.).		
2. Keyboard and Mouse			
Keyboard height	Adjust keyboard height so arms and forearms are at right angles or slightly greater and		
	forearms and hands form straight lines.		
Keyboard-to-user distance	Keyboard-to-user distance should allow user to relax shoulders with elbows hanging close to		
	body.		
Keyboard slope	Position keyboard a flat or slightly negatively sloped.		
Mouse-to-user distance	Mouse should be directly next to the keyboard.		
Mouse height	Adjust mouse so it is close to and on the same level as the keyboard.		
3. Monitor			
Monitor height	Adjust monitor height so top of screen is at or slightly lower than eye level.		
Screen-to-user distance	Viewing distance is approximately arm's distance away (16"- 28").		
Monitor alignment w/	Monitor and keyboard should be placed directly in front of user.		
user			
Visual comfort of screen	Monitor should be positioned to avoid glare (perpendicular to window/ strong light source)		
4. Work Environment			
and Work Surface			
Leg clearance at	Width = 2" + hip width, Height= Highest point of thighs or higher, Depth= Allows proper		
workstation	sitting position while giving foot/knee clearance		
Placement of frequently	Advise employee to keep frequently used items (i.e. phone) close at hand		
used items			
General task lighting	Ensure lighting is not direct or overly bright.		
5. Work Practices			
Frequency of microbreaks	Get out of chair at least once per hour, microbreak every 30 min of keyboarding		
Keyboarding posture	Keep wrists straight, avoid supporting wrists on any surface while typing		
Sitting posture	Upright or slightly reclined posture, maintain hollow in lower back.		
Phoning posture	Avoid tilting head/neck to cradle the phone. Use hand to hold receiver.		
Alternate tasks	Break up long periods of continuous computer use by performing small tasks/ errands.		
	·		