

Improved Augmented Matched Interface and Boundary (AMIB) Method for Solving Problems on Irregular 2D Domains

Benjamin Pentecost
bp957721@wcupa.edu

April 17, 2024
Department of Mathematics
West Chester University of Pennsylvania


Mathematical Models

- **Poisson Eqn. (time-indept.):**

$$\Delta u + ku = f(\vec{x}), \quad (1.1)$$

- Boundary Condition:

$$\alpha_{\Gamma} u + \beta_{\Gamma} \frac{\partial u}{\partial n} = \phi(\vec{x}), \quad (1.2)$$



- **Heat Eqn. (time-dept.):**



$$\frac{\partial u}{\partial t} = \beta \Delta u + g, \quad 0 \leq t \leq T, \quad (1.3)$$

- Boundary Condition:

$$\alpha_{\Gamma} u + \beta_{\Gamma} \frac{\partial u}{\partial n} = \psi(t, \vec{x}), \quad \text{on } \Gamma, \quad (1.4)$$

- Initial Condition:

$$u(0, \vec{x}) = u_0(\vec{x}), \quad (1.5)$$



Applications




Figure: Poisson–Boltzmann eqn. for electrostatic potential distribution over a protein.








Figure: Pennes Bioheat eqn. for heat dissipation in Magnetic Fluid Hyperthermia (MFH).

Interface Points, Fictitious Points, and Vertical Points



Fictitious Value Representations at Fictitious Points



$$\tilde{u}_{\text{FP}} = \sum_{(x_I, y_J) \in S_{\text{FP}}} \check{w}_{I,J} u_{I,J} + \sum_{\vec{x}_{\text{VP}_i} \in V_{\text{FP}}} \check{w}_{\text{VP}_i} \phi(\vec{x}_{\text{VP}_i}), \quad (2.1)$$

where S_{FP} is a set of chosen grid points and V_{FP} is a set of vertical points.

The Augmented System

$$\begin{pmatrix} A & B \\ C & I \end{pmatrix} \begin{pmatrix} U \\ Q \end{pmatrix} = \begin{pmatrix} F \\ \Phi \end{pmatrix}, \quad (2.2)$$

Let N_1 = number of interior grid points, N_2 = number of interface points, we have:

- $A_{N_1 \times N_1}$
- $B_{5N_2 \times N_1}$
- $C_{N_1 \times 5N_2}$
- $I_{5N_2 \times 5N_2}$
- $U_{N_1 \times 1}$
- $Q_{5N_2 \times 1}$





Figure: Nonzero entries of B and C .

The "starfish" Interface (Poisson Eqn.)




Figure: Numerical solution of the "starfish" interface.

$[N_x, N_y]$	L^∞		L^2		BCG iter no.
	error	order	error	order	
[65, 65]	1.91E-06		6.11E-07		37
[129, 129]	1.19E-07	4.00	4.55E-08	3.75	44
[257, 257]	5.01E-09	4.57	9.94E-10	5.52	47
[513, 513]	2.86E-10	4.13	5.63E-11	4.14	51

The "butterfly" Interface (Heat Eqn.)




Figure: Numerical solution of the "butterfly" interface.

$[N_x, N_y]$	L^∞		L^2		BCG time (sec)
	error	order	error	order	
[65, 65]	1.15E-04		1.09E-05		28
[129, 129]	5.39E-07	7.74	1.24E-07	6.46	69
[257, 257]	5.50E-09	6.62	1.38E-09	6.48	293
[513, 513]	3.09E-10	4.15	1.02E-10	3.76	1351

Table: Temporal convergence tests for solving the ImIBVP with the "butterfly"-shaped interface

N_t	L^∞		L^2		BCG time (sec)
	error	order	error	order	
2	1.67E-03		9.24E-04		82
4	4.01E-04	2.05	2.23E-04	2.05	160
8	9.99E-05	2.01	5.54E-05	2.01	308
16	2.49E-05	2.00	1.38E-05	2.00	568
32	6.23E-06	2.00	3.46E-06	2.00	1104
64	1.56E-06	2.00	8.65E-07	2.00	2038
128	3.89E-07	2.00	2.16E-07	2.00	3802

The "aircraft" Interface (Heat Eqn.)




Table: Convergence tests for solving the ImIBVP with the "aircraft"-shaped interface of various scale factors

scale factor k	no. of points		L^∞	L^2	BCG time (sec)
	IP	FP			
1.0	662	909	5.24E-09	3.78E-10	121
1.3	856	1198	3.41E-09	2.48E-10	122
1.6	1060	1479	4.32E-09	3.16E-10	141
1.9	1266	1765	3.43E-09	2.20E-10	131

Conclusion

Key characteristics of the developed AMIB method are:

- ▶ capable of solving problems over highly irregular domains
- ▶ capable of handling versatile boundary conditions
- ▶ unconditionally stable when solving time-dependent problems
- ▶ accelerated by the FFT for high efficiency
- ▶ fourth-order accuracy (in space)

References

- Li, C., Zhao, S., Pentecost, B., Ren, Y., & Guan, Z. (2024). A fourth-order Cartesian grid method with FFT acceleration for elliptic and parabolic problems on irregular domains and arbitrarily curved boundaries. To be submitted.
- Li, C., Ren, Y., Long, G., Boerman, E., & Zhao, S. (2023). A Fast Sine Transform Accelerated High-Order Finite Difference Method for Parabolic Problems over Irregular Domains. *Journal of Scientific Computing*, 95(2), 49-.
<https://doi.org/10.1007/s10915-023-02177-7>
- Ren, Y., Feng, H., & Zhao, S. (2022). A FFT accelerated high order finite difference method for elliptic boundary value problems over irregular domains. *Journal of Computational Physics*, 448, 110762-.
<https://doi.org/10.1016/j.jcp.2021.110762>